

Contents

No. 1-2 1-330 issued May 1992
No. 3 331-492 issued June 1992

- Armour SL → Harms CT 427
- Bachelier S → Werts C 372
- Bai X → Chen L 311
- Baird E, Cooper-Bland S, Waugh R, De-Maine M, Powell W: Molecular characterisation of inter- and intra-specific somatic hybrids of potato using randomly amplified polymorphic DNA (RAPD) markers 469
- Bancroft I, Bhatt AM, Sjödin C, Scofield S, Jones JDG, Dean C: Development of an efficient two-element transposon tagging system in *Arabidopsis thaliana* 449
- Bandlow W → Schrick R 363
- Beaumont C → McHale MT 337
- Beier D, Beier H: Expression of variant nuclear *Arabidopsis* tRNA^{Ser} genes and pre-tRNA maturation differ in HeLa, yeast and wheat germ extracts 201
- Beier H → Beier D 201
- Bertin P, Lejeune P, Colson C, Canchin A: Mutations in *bgfY*, the structural gene for the DNA-binding protein H1 of *Escherichia coli*, increase the expression of the kanamycin resistance gene carried by plasmid pGR71 184
- Bhatt AM → Bancroft I 449
- Bodeau JP, Walbot V: Regulated transcription of the maize *Bronze-2* promoter in electroporated protoplasts requires the *C1* and *R* gene products 379
- Bridges BA: Mutagenesis after exposure of bacteria to ultraviolet light and delayed photoreversal 331
- Bron S → Oskam L 462
- Bruenn J → Finkler A 395
- Budde E → Schmidt U 71
- Campbell DA → Wong S 225
- Canchin A → Bertin P 184
- Chak K-F → Soong B-W 177
- Charbit A → Werts C 372
- Chen J → Leu J-Y 411
- Chen L, Cui Y, Qin M, Wang Y, Bai X, Ma Q: Identification of a *nodD*-like gene in *Frankia* by direct complementation of a *Rhizobium nodD*-mutant 311
- Chen XJ, Węsowski-Louvel M, Fukuhara H: Glucose transport in the yeast *Kluyveromyces fragilis*. II. Transcriptional regulation of the glucose transporter gene *RAG1* 97
- Chétrit P → Vitart V 193
- Colson C → Bertin P 184
- Cooper-Bland S → Baird E 469
- Coppin E → Debuchy R 113
- Corces VG → Smith PA 65
- Crawford NM → LaBrie ST 169
- Crumety V → Norris E 106
- Cui Y → Chen L 311
- Das S → Shen W-H 388
- Dean C → Bancroft I 449
- Debuchy R, Coppin E: The mating types of *Podospora anserina*: functional analysis and sequence of the fertilization domains 113
- De Greve H → Renckens S 53
- DeMaine M → Baird E 469
- De Paepe R → Vitart V 193
- DiMaio JJ → Harms CT 427
- Dujardin G → Ekwall K 136
- Eichel-Streiber C von, Laufenberg-Feldmann R, Sarten S, Schulze J, Sauerborn M: Comparative sequence analysis of the *Clostridium difficile* toxins A and B 260
- Eigel L, Koop H-U: Transfer of defined numbers of chloroplasts into albino protoplasts by subprotoplast/protoplast microfusion: chloroplasts can be "cloned", by using suitable plastome combinations or selective pressure 479
- Ekwall K, Kermorgant M, Dujardin G, Groudinsky O, Slonimski PP: The *NAM8* gene in *Saccharomyces cerevisiae* encodes a protein with putative RNA binding motifs and acts as a suppressor of mitochondrial splicing deficiencies when overexpressed 136
- Ennis DG → Koch WH 443
- Feldmann KA → LaBrie ST 169
- Feng T-Y → Jacobs JD 302
- Ferrero I → Węsowski-Louvel M 89
- Finkler A, Peery T, Tao J, Bruenn J, Koltin Y: Immunity and resistance to the KP6 toxin of *Ustilago maydis* 395
- Flavell AJ, Smith DB: A *Ty1-copia* group retrotransposon sequence in a vertebrate 322
- Friesenegger A → Wirth R 157
- Fukuchi A → Hirochika H 209
- Fukuhara H → Chen XJ 97
- Fukuhara H → Węsowski-Louvel M 89
- Galli D → Weidlich G 161
- Ganal MW → Martin GB 25
- Gebhardt C → Leonards-Schippers C 278
- Ghosh S, Lucchesi JC, Manning JE: The non-dosage compensated *LSP1-α* gene of *Drosophila melanogaster* lies immediately downstream of the dosage compensated *L12* gene 49
- Gieffers W → Leonards-Schippers C 278
- Gille H → Holz A 81
- Goebel W → Hanke C 42
- Goffrini P → Węsowski-Louvel M 89
- Gomada M, Inouye S, Imaishi H, Nakazawa A, Nakazawa T: Analysis of an upstream regulatory sequence required for activation of the regulatory gene *xylS* in xylene metabolism directed by the TOL plasmid of *Pseudomonas putida* 419
- Gorishin IY → Kil YV 483
- Gregg K → Vercor PE 284
- Groudinsky O → Ekwall K 136
- Halboth S, Klein A: *Methanococcus voltae* harbors four gene clusters potentially encoding two [NiFe] and two [NiFeSe] hydrogenases, each of the cofactor F₄₂₀-reducing or F₄₂₀-non-reducing types 217
- Hanke C, Hess J, Schumacher G, Goebel W: Processing by OmpT of fusion proteins carrying the HlyA transport signal during secretion by the *Escherichia coli* hemolysin transport system 42
- Harada T, Ishikawa R, Niizeki M, Saito K: Pollen-derived rice calli that have large deletions in plastid DNA do not require protein synthesis in plastids for growth 145
- Harms CT, Armour SL, DiMaio JJ, Middlesteadt LA, Murray D, Negrotto DV, Thompson-Taylor H, Weymann K, Montoya AL, Shillito RD, Jen GC: Herbicide resistance due to amplification of a mutant acetohydroxyacid synthase gene 427
- Hashimoto J, Hirabayashi T, Hayano Y, Hata S, Ohashi Y, Suzuka I, Utsgui T, Toh-EA, Kikuchi Y: Isolation and characterization of cDNA clones encoding *cdc2* homologues from *Oryza sativa*: a functional homologue and cognate variants 10
- Hata S → Hashimoto J 10
- Hayano Y → Hashimoto J 10
- Heim L → Lorentz A 436
- Herder IF den, Rosell AMM, Zuilen CM van, Punt PJ, Hondel CAMJJ van den: Cloning and expression of a member of the *Aspergillus niger* gene family encoding α-galactosidase 404
- Hernalsteens J-P → Renckens S 53
- Hershey JWB → Kang HA 487
- Hess J → Hanke C 42
- Hidaka M → Hidaka T 476
- Hidaka M → Kobayashi T 355
- Hidaka T, Hidaka M, Uozumi T, Seto H: Nucleotide sequence of a carboxyphosphoenolpyruvate phosphonmutase gene isolated from a bialaphos-producing organism, *Streptomyces hygroscopicus*, and its expression in *Streptomyces lividans* 476
- Hildebrand M → Jacobs JD 302
- Hillenga DJ → Oskam L 462
- Hirabayashi T → Hashimoto J 10
- Hirochika H, Fukuchi A, Kikuchi F: Retrotransposon families in rice 209
- Hofnung M → Werts C 372
- Hohn B → Shen W-H 388
- Holz A, Schaefer C, Gille H, Jueterbock W-R, Messer W: Mutations in the DnaA binding sites of the replication origin of *Escherichia coli* 81

- Hondel CAMJJ van den → Herder IF den 404
 Horaus T → Wirth R 157
 Hörické-Grandpierre C → Klein B 122
 Horiuchi T → Kobayashi T 355
- Imaishi H → Gomada M 419
 Inouye S → Gomada M 419
 Ishikawa R → Harada T 145
- Jacobs JD, Ludwig JR, Hildebrand M, Kukel A, Feng T-Y, Ord RW, Volcani BE: Characterization of two circular plasmids from the marine diatom *Cylindrotheca fusiformis*: plasmids hybridize to chloroplast and nuclear DNA 302
 Jen GC → Harms CT 427
 Jones JDG → Bancroft I 449
 José M → Raz R 252
 Jueterbock W-R → Holz A 81
- Kang HA, Schwelberger HG, Hershey JWB: The two genes encoding protein synthesis initiation factor eIF-5A in *Saccharomyces cerevisiae* are members of a duplicated gene cluster 487
 Kermorgant M → Ekwall K 136
 Kessler B, Lorenzo V de, Timmis KN: A general system to integrate *lacZ* fusions into the chromosomes of gram-negative eubacteria: regulation of the *Pm* promoter of the *TOL* plasmid studied with all controlling elements in monocopy 293
 Kikuchi F → Hirochika H 209
 Kikuchi Y → Hashimoto J 10
 Kil YV, Gorishin IY, Mironov VN, Kreneva RA, Perumov DA: Riboflavin operon of *Bacillus subtilis*: unusual symmetric arrangement of the regulatory region 483
 Klein A → Halboth S 217
 Klein B, Pawlowski K, Hörické-Grandpierre C, Schell J, Töpfer R: Isolation and characterization of a cDNA from *Cuphea lanceolata* encoding a β -ketoacyl-ACP reductase 122
 Klipp W → Masepohl B 33
 Kobayashi T, Hidaka M, Nishizawa M, Horiuchi T: Identification of a site required for DNA replication fork blocking activity in the rRNA gene cluster in *Saccharomyces cerevisiae* 355
 Koch WH, Ennis DG, Levine AS, Woodgate R: *Escherichia coli* umuDC mutants: DNA sequence alterations and UmuD cleavage 443
 Koltin Y → Finkler A 395
 Koop H-U → Eigel L 479
 Kreneva RA → Kil YV 483
 Kretsinger RH → Wong S 225
 Kuhn J → Swift S 129
 Kukel A → Jacobs JD 302
 Kutsche M → Masepohl B 33
- LaBrie ST, Wilkinson JQ, Tsay Y-F, Feldmann KA, Crawford NM: Identification of two tungstate-sensitive molybdenum cofactor mutants, *chl2* and *chl7*, of *Arabidopsis thaliana* 169
 Lai Y-K → Leu J-Y 411
 Latch GCM → Murray FR 1
- Laufenberg-Feldmann R → Eichel-Streiber C von 260
 Lejeune P → Bertin P 184
 Leonards-Schippers C, Gieffers W, Salamini F, Gebhardt C: The *R1* gene conferring race-specific resistance to *Phytophthora infestans* in potato is located on potato chromosome V 278
 Leu J-Y, Sun YH, Lai Y-K, Chen J: A maize cryptic *Ac*-homologous sequence derived from an *Activator* transposable element does not transpose 411
 Levine AS → Koch WH 443
 Lorentz A, Heim L, Schmidt H: The switching gene *swi6* affects recombination and gene expression in the mating-type region of *Schizosaccharomyces pombe* 436
 Lorenzo V de → Kessler B 293
 Lu F-M → Soong B-W 177
 Lucchesi JC → Ghosh S 49
 Ludwig JR → Jacobs JD 302
- Ma Q → Chen L 311
 Magdolen V → Schrickler R 363
 Manning JE → Ghosh S 49
 Martin GB, Ganai MW, Tanksley SD: Construction of a yeast artificial chromosome library of tomato and identification of cloned segments linked to two disease resistance loci 25
 Martínez-Izquierdo JA → Raz R 252
 Masepohl B, Kutsche M, Rieder K-U, Schmehl M, Klipp W, Pühler A: Functional analysis of the cysteine motifs in the ferredoxin-like protein FdxN of *Rhizobium meliloti* involved in symbiotic nitrogen fixation 33
 Mathieu C → Vitart V 193
 Matsubayashi T → Vera A 151
 McHale MT, Roberts IN, Noble SM, Beaumont C, Whitehead MP, Seth D, Oliver RP: CFT-I: an LTR-retrotransposon in *Cladosporium fulvum*, a fungal pathogen of tomato 337
 McKim KS, Starr I, Rose AM: Genetic and molecular analysis of the *dpy-14* region in *Caenorhabditis elegans* 241
 Messer W → Holz A 81
 Middlesteadt LA → Harms CT 427
 Mironov VN → Kil YV 483
 Mochizuki N, Yamamoto M: Reduction in the intracellular cAMP level triggers initiation of sexual development in fission yeast 17
 Montoya AL → Harms CT 427
 Moya A → Raz R 252
 Murray D → Harms CT 427
 Murray FR, Latch GCM, Scott DB: Surrogate transformation of perennial ryegrass, *Lolium perenne*, using genetically modified *Acremonium* endophyte 1
- Nakazawa A → Gomada M 419
 Nakazawa T → Gomada M 419
 Negrotto DV → Harms CT 427
 Niizeki M → Harada T 145
 Nishizawa M → Kobayashi T 355
 Noble SM → McHale MT 337
 Noguchi T, Takahashi H: Activation and quantitative estimation of bacteriophage T4 late regulatory signal in cis- and transcondition 319
- Norris E, Sanders M, Crumey V, Tsubota SI: The identification of the *B^S* breakpoint and of two possible *Bar* genes 106
- Ohashi Y → Hashimoto J 10
 Ohmae M → Yoshimoto H 327
 Oliver RP → McHale MT 337
 Ord RW → Jacobs JD 302
 Oskam L, Hillenga DJ, Venema G, Bron S: The integrated state of the rolling-circle plasmid pTB913 in the composite *Bacillus* plasmid pTB19 462
- Pawlowski K → Klein B 122
 Peery T → Finkler A 395
 Perumov DA → Kil YV 483
 Powell W → Baird E 469
 Pühler A → Masepohl B 33
 Puigdomènech P → Raz R 252
 Punt PJ → Herder IF den 404
- Qin M → Chen L 311
- Raz R, José M, Moya A, Martínez-Izquierdo JA, Puigdomènech P: Different mechanisms generating sequence variability are revealed in distinct regions of the hydroxyproline-rich glycoprotein gene from maize and related species 252
 Renckens S, De Greve H, Van Montagu M, Hernalsteens J-P: *Petunia* plants escape from negative selection against a transgene by silencing the foreign DNA via methylation 53
 Rieder K-U → Masepohl B 33
 Roberts CF → Streatfield SJ 231
 Roberts IN → McHale MT 337
 Rose AM → McKim KS 241
 Rosell AMM → Herder IF den 404
- Saito K → Harada T 145
 Salamini F → Leonards-Schippers C 278
 Sanders M → Norris E 106
 Sautingen S → Eichel-Streiber C von 260
 Sauerborn M → Eichel-Streiber C von 260
 Schaefer C → Holz A 81
 Schell J → Klein B 122
 Schmehl M → Masepohl B 33
 Schmidt H → Lorentz A 436
 Schmidt U, Budde E, Stahl U: Self-splicing of a mitochondrial group I intron from the cytochrome *b* gene of the ascomycete *Podospira anserina* 71
 Schmitz G, Theres K: Structural and functional analysis of the *Bz2* locus of *Zea mays*: characterization of overlapping transcripts 269
 Schneider R, Schweiger M: The yeast RNA1 protein, necessary for RNA processing, is homologous to the human ribonuclease/angiogenin inhibitor (RAI) 315
 Schrickler R, Magdolen V, Bandlow W: A new member of the adenylate kinase family in yeast: *PAK3* is highly homologous to mammalian AK3 and is targeted to mitochondria 363
 Schulte-Frohlinde D → Schünemann S 348

- Schulze J → Eichel-Streiber C von 260
 Schumacher G → Hanke C 42
 Schünemann S, Schulte-Frohlinde D: Survival of phage M13 with uracils on one or both DNA strands 348
 Schweiger M → Schneider R 315
 Schwelberger HG → Kang HA 487
 Scofield S → Bancroft I 449
 Scott DB → Murray FR 1
 Seth D → McHale MT 337
 Seto H → Hidaka T 476
 Shen W-H, Das S, Hohn B: Mechanism of *Dst* excision from the genome of maize streak virus 388
 Shillito RD → Harms CT 427
 Sjodin C → Bancroft I 449
 Slonimski PP → Ekwall K 136
 Smith DB → Flavell AJ 322
 Smith PA, Corces VG: The suppressor of Hairy-wing binding region is required for gypsy mutagenesis 65
 Soong B-W, Lu F-M, Chak K-F: Characterization of the *cea* gene of the ColE7 plasmid 177
 Stahl U → Schmidt U 71
 Starr I → McKim KS 241
 Stewart SAB → Swift S 129
 Streatfield SJ, Toews S, Roberts CF: Functional analysis of the expression of the 3'-phosphoglycerate kinase *pgk* gene in *Aspergillus nidulans* 231
 Sugiura M → Vera A 151
 Sun YH → Leu J-Y 411
 Suzuka I → Hashimoto J 10
 Swift S, Kuhn J, Stewart SAB: Selection and analysis of non-interactive mutants in the *Escherichia coli* tryptophan synthase α subunit 129
 Takahashi H → Noguchi T 319
 Tanksley SD → Martin GB 25
 Tao J → Finkler A 395
 Theres K → Schmitz G 269
 Thompson-Taylor H → Harms CT 427
 Timmis KN → Kessler B 293
 Toews S → Streatfield SJ 231
 Toh-EA → Hashimoto J 10
 Töpfer R → Klein B 122
 Tsay Y-F → LaBrie ST 169
 Tsubota SI → Norris E 106
 Uozumi T → Hidaka T 476
 Utsui T → Hashimoto J 10
 Van Montagu M → Renckens S 53
 Vedel F → Vitart V 193
 Venema G → Oskam L 462
 Vera A, Matsubayashi T, Sugiura M: Active transcription from a promoter positioned within the coding region of a divergently oriented gene: the tobacco chloroplast *rpl32* gene 151
 Vercoe PE, Gregg K: DNA sequence and transcription of an endoglucanase gene from *Prevotella (Bacteroides) ruminicola* AR20 284
 Vitart V, De Paepe R, Mathieu C, Chétrit P, Vedel F: Amplification of substoichiometric recombinant mitochondrial DNA sequences in a nuclear, male sterile mutant regenerated from protoplast culture in *Nicotiana sylvestris* 193
 Volcani BE → Jacobs JD 302
 Walbot V → Bodeau JP 379
 Wang Y → Chen L 311
 Waugh R → Baird E 469
 Weidlich G, Wirth R, Galli D: Sex pheromone plasmid pAD1-encoded surface exclusion protein of *Enterococcus faecalis* 161
 Werts C, Charbit A, Bachellier S, Hofnung M: DNA sequence analysis of the *lamB* gene from *Klebsiella pneumoniae*: implications for the topology and the pore functions in maltoporin 372
 Wésolowski-Louvel M, Goffrini P, Ferrero I, Fukuhara H: Glucose transport in the yeast *Kluyveromyces lactis*. I. Properties of an inducible low-affinity glucose transporter gene 89
 Wésolowski-Louvel M → Chen XJ 97
 Weymann K → Harms CT 427
 Whitehead MP → McHale MT 337
 Wilkinson JQ → LaBrie ST 169
 Wirth R, Friesenegger A, Haraud T: Identification of new sex pheromone plasmids in *Enterococcus faecalis* 157
 Wirth R → Weidlich G 161
 Wong S, Kretsinger RH, Campbell DA: Identification of a new EF-hand superfamily member from *Trypanosoma brucei* 225
 Woodgate R → Koch WH 443
 Yamamoto M → Mochizuki N 17
 Yamashita I → Yoshimoto H 327
 Yoshimoto H, Ohmae M, Yamashita I: The *Saccharomyces cerevisiae* GAM2/SIN3 protein plays a role in both activation and repression of transcription 327
 Zuilen CM van → Herder IF den 404

Indexed in *Current Contents*